



Shandong YuQi International Trade Co....



10 mm x 22 mm x 6 mm KOYO 6900 deep groove ball bearings

Bearing No. 6900

6900 Bearing 2D drawings and 3D CAD models

Size	10x22x6 mm
Bore Diameter	10 mm
Outer Diameter	22 mm
Width	6 mm
d	10 mm
D	22 mm
B	6 mm
C	6 mm
r min.	0,3 mm
da min.	12 mm
Da max.	20 mm
ra max.	0,3 mm
Weight	0,01 Kg
Basic dynamic load rating (C)	2,7 kN
Basic static load rating (C0)	1,25 kN
(Grease) Lubrication Speed	34000 r/min
(Oil) Lubrication Speed	41000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.01
EAN	0605790085666
Product Group	B00308
Enclosure	Open



Shandong YuQi International Trade Co....

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	10MM Bore; 22MM Outside Diameter; 6MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6900
Weight / LBS	0.023
Bore	0.394 Inch 10 Millimeter
Outer Race Width	0.236 Inch 6 Millimeter
Outside Diameter	0.866 Inch 22 Millimeter
Bearing No.	6900
r(min)	0.3
Cr	3.35
C0r	1.25
Cu	0.070
f0	14.0
Grease lub.	34000



Shandong YuQi International Trade Co....

Oil lub.	41000
da(min)	12
Da(max)	20
ra(max)	0.3
(Refer.)Mass(kg)	0.010